

- APG II. 2003. An update of the Angiosperm Phylogeny Group classification for orders and families of flowering plants: APG II. *Bot. J. Linn. Soc.* 141:399-436.
- Asmussen, C.B. 1999. Toward a chloroplast DNA phylogeny of the tribe Geonomeae (Palmae). *Mem. N.Y. Bot. Gard.* 83: 121-129.
- Asmussen, C.B. and M.W. Chase. 2001. Coding and non-coding plastid DNA in palm systematics. *Amer. J. Bot.* 88: 1103-17.
- Asmussen, C.B., W.J. Baker and J. Dransfield. 2000. Phylogeny of the palm family (Arecaceae) based on RPS 16 intron and TRNL-TRN F plastid DNA sequence. Pp. 525-35 In: (Eds. K. L. Wilson and D. A. Morrison), *Systematics and Evolution of Monocots II*. CSIRO, Melbourne.
- Baker, W.J., S.C. Barrow, C.B. Asmussen, J. Dransfield and T.A. Hedderson. 1999. A phylogenetic study of the palm family (Palmae) based on chloroplast DNA sequences from the trn L – trn F region. *Plant Syst. Evol.* 219: 111-26.
- Baker, W.J., T.A. Hedderson and J. Dransfield. 2000. Molecular phylogenetics of subfamily Calamoideae (Palmae) based on nr DNA ITS and cp DNA *rps* 1b intron sequence data. *Mol. Phylog. Evol.* 14: 195-217.
- Baker, W.J., Asmussen, C.B. and Savolainen, V. 2003a. A Supertree of the Palm Family (Arecaceae). p. 3. Abstracts, The Third International Conference on the Comparative Biology of the Monocotyledons. Rancho Santa Ana Botanic Garden.
- Baker, W.J., R.P. Bayton, J. Dransfield, and R.A. Maturbongs. 2003b. A revision of the *Calamus aruensis* (Arecaceae) complex in New Guinea and the Pacific. *Kew Bull.* 58: 351-370.
- Barfod, A. 1988. Leaf anatomy and its taxonomic significance in phytelphantoid palms (Arecaceae). *Nordic J. Bot.* 8: 341-8.
- Barfod, A.S., L.G. Saw. 2002. The genus *Licuala* (Arecaceae – Coryphoideae) in Thailand. *Kew Bull.* 57: 827-852.
- Barrow, S.C. 1998. A monograph of *Phoenix* L. (Palmae: Coryphoideae). *Kew Bull.* 53: 513-75.
- Barthlott, W., I. Theisen, T. Borsch, and C. Neinhuis. 2003. Epicuticular waxes and vascular plant systematics: integrating micromorphological and chemical data. In T.F. Stuessy, B. Mayer, and E. Hörandl (eds.). Deep morphology: toward a renaissance of morphology in plant systematics. Gantner Verlag, Ruggell, Liechtenstein. Pp. 189-206.
- Borchsenius, F. and R. Bernal. 1996. *Aiphanes* (Palmae). *Flora Neotropica Monogr.* 70: 1-95.
- Chapin, M.H., K.R. Wood, S.P. Perlman, and M. Maunder. 2004. A review of the conservation status of the endemic *Pritchardia* palms of Hawaii. *Oryx* 38: 1-9.
- Chase, M.H. 2004. Monocot relationships: an overview. *Amer. J. Bot.* 91: 1645-1655.
- Chase, M.W. et al. (in press). Multi-gene analyses of monocot relationships: a summary. In J.T. Columbus, et al. [eds.], *Monocots: Comparative biology and evolution*. Rancho Santa Ana Bot. Gard., Claremont.
- Dengler, N.G., R.E. Dengler and D.R. Kaplan. 1982. The mechanism of plication inception in palm leaves; histogenetic observations on the pinnate leaf of *Chrysalidocarpus lutescens*. *Can. J. Bot.* 60: 2976-98.
- Dransfield, J. and W.J. Baker. 2003. An account of the Papuan species of *Calamus* (Arecaceae) with paired fruit. *Kew Bull.* 58: 371-387.
- Dransfield, J., J.R. Flenley, S.M. King, D.D. Harkness, and S. Rapu. 1984. A recently extinct palm from Easter Island. *Nature* 312: 750-752.
- Fisher, J.B. 1974. Axillary and dichotomous branching in the palm *Chamaedorea*. *Amer. J. Bot.* 61: 1046-1056.

- Fisher, J.B. and J. Dransfield. 1979. Development of axillary and leaf-opposed buds in rattan palms. *Ann. Bot.* 44: 57-66.
- Fisher, J.B. and K. Jayachandran. 1999. Root structure and arbuscular mycorrhizal colonization of the palm *Serenoa repens* under field conditions. *Plant Soil* 217: 229-241.
- Fisher, J.B. and K.J. Maidman. 1999. Branching and architecture in palms: value for systematics. *Mem. N.Y. Bot. Gard.* 83: 35-46.
- Fisher, J.B. and J.P. Moga. 1980. Intrapetiolar inflorescence buds in the palm genus *Salacca*: development and significance. *Bot. J. Linn. Soc.* 81: 47-59.
- Fisher, J.B. and H.E. Moore, Jr. 1977. Multiple inflorescences in palms (Arecaceae): their development and significance. *Bot. Jahrb. Syst.* 98: 573-611.
- Fisher, J.B., G.J. Goh, & A.N. Rao. 1989. Non-axillary branching in the palms *Eugeissona* and *Oncosperma* (Arecaceae). *Bot. J. Linn. Soc.* 99: 347-363.
- Fisher, J.B., J. N. Burch and L. R. Noblick. 1996. Stem structure of the Cuban belly palm (*Gastrococos crisper*). *Principes* 40: 125-28.
- Fisher, J.B., H. T.W. Tan and L.P.L. Toh. 2002. Xylem of rattans: vessel dimensions in climbing palms. *Amer. J. Bot.* 89 (2): 196-202.
- French, J.C. and P.B. Tomlinson. 1981. Vascular patterns in stems of Araceae: subfamily Pothoideae. *Amer. J. Bot.* 68: 713-729.
- French, J.C. and P.B. Tomlinson. 1986. Compound vascular bundles in monocotyledonous stems: construction and significance. *Kew Bull.* 41: 561-574.
- Givnish, T.J. 2003. How a better understanding of adaptations can yield better use of morphology in plant systematics: toward Eco-Evo-Devo. In T.F. Stuessy, B. Mayer, and E. Hörandl (eds.). Deep morphology: toward a renaissance of morphology in plant systematics. Gantner Verlag, Ruggell, Liechtenstein. Pp. 273-295.
- Glassman, S.F. 1972. Systematic studies in the leaf anatomy of palm genus *Syagrus*. *Amer. J. Bot.* 59: 775-88.
- Glassman, S.F. 1999. A taxonomic treatment of the palm subtribe Attaleinae (tribe Cocoeae). *Illinois Biol. Monogr.* 59: 1-414.
- Lewis, P. O. 2001. A likelihood approach to estimating phylogeny from discrete morphological data. *Syst. Biol.* 50: 913-925.
- Hahn, W.J. 1999. Molecular systematic studies of the Palmae. *Mem. N. Y. Bot. Gard.* 83: 47-60.
- Hahn, W.J. 2002. A phylogenetic analysis of the arecoid line of palms based on plastid DNA sequence. *Mol. Phyl. Evol.* 23: 189-204.
- Henderson, A. 1990. Arecaceae I. Introduction and the Iriarteinae. *Flora Neotropica Mon.* 53: 1-101.
- Henderson, A. 1999. A phylogenetic analysis of the Euterpeinae (Palmae, Arecoideae, Arecaceae) based on morphology and anatomy. *Brittonia* 51 (1): 106-113.
- Henderson, A. 2002. Evolution and ecology of palms. N.Y. Botanical Garden Press, New York.
- Henderson, A. and G. Galeano. 1996. *Euterpe*, *Prestoea*, and *Neonicholsonia* (Palmae: Euterpeinae). *Flora Neotropica Monogr.* 72: 1-90.
- Henderson, A. and G. deNevers (1988). *Prestoea* (Palmae) in Central America. *Ann. Missouri Bot. Gard.* 75: 203-17.
- Huelsenbeck, J.P., R. Nielsen, and J.P. Bollback. 2003. Stochastic mapping of morphological characters. *Syst. Biol.* 52: 131-158.

- Janssen, T. and K. Bremer. 2004. The age of major monocot groups inferred from 800+ *rbcL* sequences. *Bot. J. Linn. Soc.* 146: 385-398.
- Johnson, D. (ed.) 1996. Palms: Their conservation and sustained utilization. IUCN Publications, U.K.
- Kaplan, D.R., N.G. Dengler and R.E. Dengler. 1982a. The mechanism of plication inception in palm leaves: problem and developmental morphology. *Can. J. Bot.* 60: 2939-75.
- Kaplan, D.R., N.G. Dengler and R.E. Dengler. 1982b. The mechanism of placation inception in palm leaves: histogenetic observations on the palmate leaf of *Rhapis excelsa*. *Can. J. Bot.* 60: 2999-3016.
- Keating, R.C. 2003a. *Anatomy of the Monocotyledons. IX. Acoraceae and Araceae*. Clarendon Press, Oxford. 327 pp.
- Keating, R.C. 2003b. Leaf anatomical characters and their value in understanding morphoclines in the Araceae. *Bot. Rev.* 68: 510-523.
- Klotz, L. 1976. Form of the perforation plates in the wide vessels of metaxylem in palms. *J. Arnold Arbor.* 59: 105-28.
- Lewis, C.J. and J.J. Doyle. 2001. Phylogenetic utility of the nuclear gene malate synthase in the palm family (Arecaceae). *Molec. Phyl. Evol.* 19: 409-420.
- Lewis, C.J. and J.J. Doyle. 2002. A phylogenetic study of tribe Areceae (Arecaceae) using two low-copy nuclear genes. *Plant Syst. Evol.* 236: 1-17.
- Lewis, P.O. 2001. A likelihood approach to estimating phylogeny from discrete morphological data. *Syst. Biol.* 50: 913-925.
- Maciá, M.J. 2004. Multiplicity in palm uses by the Huaorani of Amazonian Ecuador. *Bot. J. Linn. Soc.* 144: 149-59.
- Maddison, D.R. and W.P. Maddison. 2000. MacClade 4: Analysis of phylogeny and character evolution. Version 4.0. Sinauer Associates, Sunderland, MA.
- Martens, J. and N.W. Uhl. 1980. Methods for the study of leaf anatomy in palms. *Stain Technol.* 55: 241-6.
- Mayo, S.J., J. Bogner and P.C. Boyce. 1997. *The genera of Araceae*. Royal Botanic Gardens, Kew.
- Metcalfe, C.R. 1960. *Anatomy of the Monocotyledons. I. Gramineae*. Clarendon Press, Oxford.
- Metcalfe, C.R. and L. Chalk. 1950. *Anatomy of Dicotyledons*. 2 vols. Clarendon Press, Oxford.
- Moore, H. E., Jr. 1973. The major groups of palms and their distribution. *Gentes Herb.* 11: 27-141.
- Moraes, R.M. 1996. *Allagoptera* (Palmae). *Flora Neotropica Monogr.* 73: 1-35.
- Nielsen, R. 2002. Mapping mutations on phylogenies. *Syst. Biol.* 51: 729-739.
- Parthasarathy, M.V. and P.B. Tomlinson. 1967. Anatomical features of metaphloem in stems of *Sabal*, *Cocos* and two other palms. *Amer. J. Bot.* 54: 1143-51.
- Pridgeon, A.M. (ed.) 1999. *Genera Orchidacearum*. Oxford University Press, New York.
- Prychid, C.J., P.J. Rudall and M. Gregory. 2003. Systematics and biology of silica bodies in Monocotyledons. *Bot. Rev.* 69(4): 377-440.
- Read, R.W. 1975. The genus *Thrinax* (Palmae: Coryphoideae). *Smithsonian Contrib. Bot.*, No. 19: 1-98.
- Robertson, B.L. 1978. Leaf anatomy of *Jubaeopsis caffra* Becc. *J. S. Afr. Bot.* 44: 127-41.
- Roncal, J., J. Francisco-Ortega, C.B. Asmussen, and C.E. Lewis. (In press) Molecular phylogenetics of tribe Geonomeae (Arecaceae) using nuclear DNA sequences of phosphoribulokinase and RNS polymerase II. *Syst. Bot.*
- Ronquist, F. 2004. Bayesian inference of character evolution. *Trends in Ecol. Evol.* 19: 475-481.

- Rudall, P.J. 1995. *Anatomy of the Monocotyledons. VIII. Iridaceae*. Clarendon Press, Oxford.
- Rudall, P.J., K. Abranson, J. Dransfield and W. Baker. 2003. Floral anatomy in *Dypsis* (Arecaceae-Areceae): a case of complex synorganization and stamen reduction. *Bot. J. Linn. Soc.* 143: 115-33.
- Salzman, V.T. and W.S. Judd. 1995. A revision of the Greater Antillean species of *Bactris* (Bactridinae: Arecaceae). *Brittonia* 47: 345-71.
- Seubert, R. 1996a. Root anatomy of palms, II. Calamoideae. *Feddes Rep.* 106: 43-59.
- Seubert, R. 1996b. Root anatomy of palms, III. Ceroxyloideae, Nypoideae, Phytelephantoideae. *Feddes Rep* 107: 597-619.
- Seubert, R. 1997. Root anatomy of palms. I. Coryphoideae. *Flora* 192: 81-103.
- Seubert, R. 1998a. Root anatomy of palms. IV. Arecoideae, Part 1. General remarks and descriptions on the roots. *Feddes Rep.* 109: 89-127.
- Seubert, R. 1998b. Root anatomy of palms. IV. Arecoideae, Part 2. Systematic implications. *Feddes Rep.* 109: 231-247.
- Stauffer, F.W., W.J. Baker, J. Dransfield, and P.K. Endress. 2004. Comparative floral structure and systematics of *Pelagodoxa* and *Sommieria* (Arecaceae). *Bot. J. Linn. Soc.* 146: 27-39.
- Taylor, Y.R. 1999. Systematic survey of Coryphoid palms using epicuticular wax and anatomical characters. PhD thesis. University of Florida, Gainesville.
- Tomlinson, P.B. 1961. *Anatomy of the Monocotyledons, II. Palmae*. Clarendon Press, Oxford. 453 pp.
- Tomlinson, P.B. 1971. The shoot apex and its dichotomous branching in the *Nypa* palm. *Ann. Bot.* 35: 865-79.
- Tomlinson, P.B. 1974. Development of the stomatal complex as a taxonomic character in the monocotyledons. *Taxon* 23: 109-28.
- Tomlinson, P.B. 1984. Development of the stem conducting tissues in monocotyledons. Pp. 1-51 In: *Contemporary problems in plant anatomy* (Eds. R. A. White and W. C. Dickison). Academic Press, Orlando.
- Tomlinson, P.B. 1990. *The structural biology of palms*. Clarendon Press, Oxford. 477 pp.
- Tomlinson, P. B. 1995. Non-homology of vascular organization in monocotyledons and dicotyledons. Pp. 589-622 In P. J. Rudall, P. J. Cribb, D. F. Cutler and C. J. Humphries (Eds.), *Monocotyledons: systematics and evolution*. Royal Botanic Gardens, Kew.
- Tomlinson, P.B. 2004. Stem anatomy of climbing palms in relation to long-distance water transport. In J. T. Columbus, E. A. Friar, C. W. Hamilton, J. M. Porter, L. M. Prince and M. J. Simpson (Eds.), *Monocots: comparative biology and evolution*. 2 vols. Rancho Santa Ana Botanic Garden, Claremont, California.
- Tomlinson, P.B. and J.B. Fisher. 2000. Stem vasculature in climbing palms: a comparative approach. In K. L. Wilson and D. A. Morrison (Eds.), *Monocots. Systematics and evolution*. CSIRO, Collingwood Victoria.
- Tomlinson, P.B. and R. Spangler. 2002. Developmental features of the discontinuous stem vascular system in the rattan palm *Calamus* (Arecaceae-Calamoideae-Calamineae). *Amer. J. Bot.* 89: 1128-41.
- Tomlinson, P.B. and J.R. Vincent. 1984. Anatomy of the palm *Rhapis excelsa*. X. Differentiation of stem conducting tissue. *J. Arnold Arboretum* 65: 191-214.

- Tomlinson, P.B. and M.H. Zimmermann. 2003. Stem vascular architecture in the American climbing palm *Desmoncus* (Arecaceae-Arecoideae-Bactridinae). Bot. J. Linn. Soc. 142: 243-54.
- Tomlinson, P.B., J.B. Fisher, R.E. Spangler and R.A. Richer. 2001. Stem vascular architecture in the rattan palm *Calamus* (Arecaceae-Calamoideae-Calaminae). Amer. J. Bot. 88: 797-809.
- Uhl, N.W. and J. Dransfield. 1987. *Genera Palmarum, a Classification of Palms Based on the Work of Harold E. Moore, Jr.* xxi + 610 pp. Lawrence, Kansas.
- Uhl, N.W. 1978a. Leaf anatomy in the species of *Hyophorbe* (Palmae). Gentes Herb. 11: 268-83.
- Uhl, N.W. 1978b. Floral anatomy of five species of *Hyophorbe* (Palmae). Gentes Herb. 11: 246-267.
- Wessels-Boer, J.G. 1968. The geonomoid palms. Verh. k. ned. akad. v. weterschappen, afzeel nat. tweede sect ser. 2. 58: 1-202.
- Weiner, G. 1992. Zur Stammanatomie der Rattanpalmen. PhD. Dissertation, University of Hamburg, Hamburg.
- William, D.M. and C.J. Humphries. 2003. Homology and character evolution. In T.F. Stuessy, B. Mayer, and E. Hörandl (eds.). Deep morphology: toward a renaissance of morphology in plant systematics. Gantner Verlag, Ruggell, Liechtenstein. Pp. 119-130.
- Zimmermann, M.H. and P. B. Tomlinson. 1965. Anatomy of the palm *Rhapis excelsa*. I. Mature vegetative axis. J. Arnold Arboretum 46: 160-78.
- Zimmermann, M.H. and P.B. Tomlinson. 1967. Anatomy of the palm *Rhapis excelsa*. IV. Vascular development in apex of vegetative aerial axis and rhizome. J. Arnold Arboretum 48: 122-42.
- Zimmerman, M.H. and P.B. Tomlinson. 1974. Vascular patterns in palm stems: variations of the *Rhapis* principle. J. Arnold Arboretum 55: 402-24.
- Zona, S. 1995. A revision of *Calyptronoma* (Arecaceae). Principes 39: 140-51.
- Zona, S. 1990. A monograph of *Sabal* (Arecaceae: Coryphoideae). Aliso 12: 583-666.